

Publications of Jan Malý

- [1] Vendula Honzlová Exnerová, Jan Malý, and Olli Martio. A version of the Stokes theorem using test curves. *Indiana Univ. Math. J.*, 69(1):295–330, 2020.
- [2] Jan Malý and Kristýna Kuncová. On a generalization of Henstock-Kurzweil integrals. *Math. Bohem.*, 144(4):393–422, 2019.
- [3] Jan Malý and Ondřej Zindulka. Mapping analytic sets onto cubes by little Lipschitz functions. *Eur. J. Math.*, 5(1):91–105, 2019.
- [4] Vendula Honzlová Exnerová, Jan Malý, and Olli Martio. Functions of bounded variation and the AM -modulus in \mathbb{R}^n . *Nonlinear Anal.*, 177(part B):553–571, 2018.
- [5] Zhuomin Liu, Jan Malý, and Mohammad Reza Pakzad. Approximation by mappings with singular Hessian minors. *Nonlinear Anal.*, 176:209–225, 2018.
- [6] Vendula Honzlová Exnerová, Jan Malý, and Olli Martio. Modulus in Banach function spaces. *Ark. Mat.*, 55(1):105–130, 2017.
- [7] Zhuomin Liu and Jan Malý. A note on Sobolev isometric immersions below $W^{2,2}$ regularity. *Differential Geom. Appl.*, 52:1–10, 2017.
- [8] Anders Björn, Jana Björn, and Jan Malý. Quasiopen and p -path open sets, and characterizations of quasicontinuity. *Potential Anal.*, 46(1):181–199, 2017.
- [9] Zhuomin Liu and Jan Malý. A strictly convex Sobolev function with null Hessian minors. *Calc. Var. Partial Differential Equations*, 55(3):Art. 58, 19, 2016.
- [10] Jan Malý and Washek F. Pfeffer. Henstock-Kurzweil integral on BV sets. *Math. Bohem.*, 141(2):217–237, 2016.
- [11] Luigi D’Onofrio, Stanislav Hencl, Jan Malý, and Roberta Schiattarella. Note on Lusin (N) condition and the distributional determinant. *J. Math. Anal. Appl.*, 439(1):171–182, 2016.
- [12] Valentino Magnani, Jan Malý, and Samuele Mongodi. A low rank property and nonexistence of higher-dimensional horizontal Sobolev sets. *J. Geom. Anal.*, 25(3):1444–1458, 2015.

- [13] Pekka Koskela, Jan Malý, and Thomas Zürcher. Luzin’s condition (N) and modulus of continuity. *Adv. Calc. Var.*, 8(2):155–171, 2015.
- [14] J. Malý and L. Zajíček. On Stepanov type differentiability theorems. *Acta Math. Hungar.*, 145(1):174–190, 2015.
- [15] Jan Malý. Non-absolutely convergent integrals with respect to distributions. *Ann. Mat. Pura Appl. (4)*, 193(5):1457–1484, 2014.
- [16] Stanislav Hencl, Zhuomin Liu, and Jan Malý. Distributional Jacobian equal to \mathcal{H}^1 measure. *Ann. Inst. H. Poincaré Anal. Non Linéaire*, 31(5):947–955, 2014.
- [17] Petr Honzík and Jan Malý. Non-absolutely convergent integrals and singular integrals. *Collect. Math.*, 65(3):367–377, 2014.
- [18] Stanislav Hencl, Luděk Kleprlík, and Jan Malý. Composition operator and Sobolev-Lorentz spaces $WL^{n,q}$. *Studia Math.*, 221(3):197–208, 2014.
- [19] Kristýna Kuncová and Jan Malý. Non-absolutely convergent integrals in metric spaces. *J. Math. Anal. Appl.*, 401(2):578–600, 2013.
- [20] Pekka Koskela, Jan Malý, and Thomas Zürcher. Luzin’s condition (N) and Sobolev mappings. *Atti Accad. Naz. Lincei Cl. Sci. Fis. Mat. Natur. Rend. Lincei (9) Mat. Appl.*, 23(4):455–465, 2012.
- [21] Hana Bendová and Jan Malý. An elementary way to introduce a Perron-like integral. *Ann. Acad. Sci. Fenn. Math.*, 36(1):153–164, 2011.
- [22] Stanislav Hencl, Jan Malý, Luboš Pick, and Jan Vybíral. Weak estimates cannot be obtained by extrapolation. *Expo. Math.*, 28(4):375–377, 2010.
- [23] Marianna Csörnyei, Stanislav Hencl, and Jan Malý. Homeomorphisms in the Sobolev space $W^{1,n-1}$. *J. Reine Angew. Math.*, 644:221–235, 2010.
- [24] Stanislav Hencl and Jan Malý. Jacobians of Sobolev homeomorphisms. *Calc. Var. Partial Differential Equations*, 38(1-2):233–242, 2010.
- [25] Jaroslav Lukeš, Jan Malý, Ivan Netuka, and Jiří Spurný. *Integral representation theory*, volume 35 of *de Gruyter Studies in Mathematics*. Walter de Gruyter & Co., Berlin, 2010. Applications to convexity, Banach spaces and potential theory.
- [26] Piotr Hajłasz and Jan Malý. On approximate differentiability of the maximal function. *Proc. Amer. Math. Soc.*, 138(1):165–174, 2010.
- [27] Jan Malý, David Swanson, and William P. Ziemer. Fine behavior of functions whose gradients are in an Orlicz space. *Studia Math.*, 190(1):33–71, 2009.
- [28] Piotr Hajłasz, Tadeusz Iwaniec, Jan Malý, and Jani Onninen. Weakly differentiable mappings between manifolds. *Mem. Amer. Math. Soc.*, 192(899):viii+72, 2008.

- [29] Luigi Ambrosio, Camillo De Lellis, and Jan Malý. On the chain rule for the divergence of BV-like vector fields: applications, partial results, open problems. In *Perspectives in nonlinear partial differential equations*, volume 446 of *Contemp. Math.*, pages 31–67. Amer. Math. Soc., Providence, RI, 2007.
- [30] Luigi Ambrosio and Jan Malý. Very weak notions of differentiability. *Proc. Roy. Soc. Edinburgh Sect. A*, 137(3):447–455, 2007.
- [31] Stanislav Hencl, Pekka Koskela, and Jan Malý. Regularity of the inverse of a Sobolev homeomorphism in space. *Proc. Roy. Soc. Edinburgh Sect. A*, 136(6):1267–1285, 2006.
- [32] J. Malý and M. Zelený. A note on Buczolicz’s solution of the Weil gradient problem: a construction based on an infinite game. *Acta Math. Hungar.*, 113(1-2):145–158, 2006.
- [33] Jaroslav Lukeš and Jan Malý. *Measure and integral*. Matfyzpress, Prague, second edition, 2005.
- [34] Irene Fonseca and Jan Malý. From Jacobian to Hessian: distributional form and relaxation. *Riv. Mat. Univ. Parma (7)*, 4*:45–74, 2005.
- [35] Irene Fonseca, Giovanni Leoni, and Jan Malý. Weak continuity and lower semicontinuity results for determinants. *Arch. Ration. Mech. Anal.*, 178(3):411–448, 2005.
- [36] Irene Fonseca, Jan Malý, and Giuseppe Mingione. Scalar minimizers with fractal singular sets. *Arch. Ration. Mech. Anal.*, 172(2):295–307, 2004.
- [37] Jan Malý. Coarea integration in metric spaces. In *NAFSA 7—Nonlinear analysis, function spaces and applications. Vol. 7*, pages 148–192. Czech. Acad. Sci., Prague, 2003.
- [38] Janne Kauhanen, Pekka Koskela, Jan Malý, Jani Onninen, and Xiao Zhong. Mappings of finite distortion: sharp Orlicz-conditions. *Rev. Mat. Iberoamericana*, 19(3):857–872, 2003.
- [39] Stanislav Hencl and Jan Malý. Absolutely continuous functions of several variables and diffeomorphisms. *Cent. Eur. J. Math.*, 1(4):690–705 (electronic), 2003.
- [40] Jan Malý. Coarea properties of Sobolev functions. In *Function spaces, differential operators and nonlinear analysis (Teistungen, 2001)*, pages 371–381. Birkhäuser, Basel, 2003.
- [41] Pekka Koskela and Jan Malý. Mappings of finite distortion: the zero set of the Jacobian. *J. Eur. Math. Soc. (JEMS)*, 5(2):95–105, 2003.
- [42] Jan Malý. Wolff potential estimates of superminimizers of Orlicz type Dirichlet integrals. *Manuscripta Math.*, 110(4):513–525, 2003.
- [43] J. Lukeš, J. Malý, I. Netuka, M. Smrčka, and J. Spurný. On approximation of affine Baire-one functions. *Israel J. Math.*, 134:255–287, 2003.

- [44] Jan Malý, David Swanson, and William P. Ziemer. The co-area formula for Sobolev mappings. *Trans. Amer. Math. Soc.*, 355(2):477–492 (electronic), 2003.
- [45] Piotr Hajłasz and Jan Malý. Approximation in Sobolev spaces of nonlinear expressions involving the gradient. *Ark. Mat.*, 40(2):245–274, 2002.
- [46] Stanislav Hencl and Jan Malý. Mappings of finite distortion: Hausdorff measure of zero sets. *Math. Ann.*, 324(3):451–464, 2002.
- [47] Robert Černý and Jan Malý. Another counterexample to lower semicontinuity in calculus of variations. *J. Convex Anal.*, 9(1):295–299, 2002.
- [48] Irene Fonseca, Giovanni Leoni, Jan Malý, and Roberto Paroni. A note on Meyers’ theorem in $W^{k,1}$. *Trans. Amer. Math. Soc.*, 354(9):3723–3741 (electronic), 2002.
- [49] Jan Malý and Luboš Pick. The sharp Riesz potential estimates in metric spaces. *Indiana Univ. Math. J.*, 51(2):251–268, 2002.
- [50] Jan Malý and Luboš Pick. An elementary proof of sharp Sobolev embeddings. *Proc. Amer. Math. Soc.*, 130(2):555–563 (electronic), 2002.
- [51] Robert Černý and Jan Malý. Counterexample to lower semicontinuity in calculus of variations. *Math. Z.*, 238(4):689–694, 2001.
- [52] Janne Kauhanen, Pekka Koskela, and Jan Malý. Mappings of finite distortion: discreteness and openness. *Arch. Ration. Mech. Anal.*, 160(2):135–151, 2001.
- [53] Janne Kauhanen, Pekka Koskela, and Jan Malý. Mappings of finite distortion: condition N. *Michigan Math. J.*, 49(1):169–181, 2001.
- [54] Jan Malý. Sufficient conditions for change of variables in integral. In *Proceedings on Analysis and Geometry (Russian) (Novosibirsk Akademgorodok, 1999)*, pages 370–386. Izdat. Ross. Akad. Nauk Sib. Otd. Inst. Mat., Novosibirsk, 2000.
- [55] Ya. Mali and S. P. Ponomarev. On the Sobolev class $W_{loc}^{1,p}$ and quasiregularity. *Sibirsk. Mat. Zh.*, 41(6):1381–1388, iii, 2000.
- [56] T. Kilpeläinen and J. Malý. Sobolev inequalities on sets with irregular boundaries. *Z. Anal. Anwendungen*, 19(2):369–380, 2000.
- [57] J. Malý and U. Mosco. Remarks on measure-valued Lagrangians on homogeneous spaces. *Ricerche Mat.*, 48(suppl.):217–231, 1999. Papers in memory of Ennio De Giorgi (Italian).
- [58] Irene Fonseca and Jan Malý. Remarks on the determinant in nonlinear elasticity and fracture mechanics. In *Applied nonlinear analysis*, pages 117–132. Kluwer/Plenum, New York, 1999.
- [59] B. Dacorogna, I. Fonseca, J. Malý, and K. Trivisa. Manifold constrained variational problems. *Calc. Var. Partial Differential Equations*, 9(3):185–206, 1999.

- [60] Janne Kauhanen, Pekka Koskela, and Jan Malý. On functions with derivatives in a Lorentz space. *Manuscripta Math.*, 100(1):87–101, 1999.
- [61] J. Malý. A simple proof of the Stepanov theorem on differentiability almost everywhere. *Exposition. Math.*, 17(1):59–61, 1999.
- [62] Jan Malý. Absolutely continuous functions of several variables. *J. Math. Anal. Appl.*, 231(2):492–508, 1999.
- [63] Guy Bouchitté, Irene Fonseca, and Jan Malý. The effective bulk energy of the relaxed energy of multiple integrals below the growth exponent. *Proc. Roy. Soc. Edinburgh Sect. A*, 128(3):463–479, 1998.
- [64] Jan Malý and William P. Ziemer. *Fine regularity of solutions of elliptic partial differential equations*, volume 51 of *Mathematical Surveys and Monographs*. American Mathematical Society, Providence, RI, 1997.
- [65] Irene Fonseca and Jan Malý. Relaxation of multiple integrals below the growth exponent. *Ann. Inst. H. Poincaré Anal. Non Linéaire*, 14(3):309–338, 1997.
- [66] P. Holický, J. Malý, L. Zajíček, and C. E. Weil. A note on the gradient problem. *Real Anal. Exchange*, 22(1):225–235, 1996/97.
- [67] Jan Malý. The Darboux property for gradients. *Real Anal. Exchange*, 22(1):167–173, 1996/97.
- [68] Jan Malý. Potential estimates and Wiener criteria for quasilinear elliptic equations. In *XVth Rolf Nevanlinna Colloquium (Joensuu, 1995)*, pages 119–133. de Gruyter, Berlin, 1996.
- [69] Jan Malý. Nonlinear potentials and quasilinear PDEs. In *Potential theory—ICPT 94 (Kouty, 1994)*, pages 103–128. de Gruyter, Berlin, 1996.
- [70] Jan Malý. Pointwise estimates of nonnegative subsolutions of quasilinear elliptic equations at irregular boundary points. *Comment. Math. Univ. Carolin.*, 37(1):23–42, 1996.
- [71] Jan Malý. Examples of weak minimizers with continuous singularities. *Exposition. Math.*, 13(5):446–454, 1995.
- [72] Jan Malý and Olli Martio. Lusin’s condition (N) and mappings of the class $W^{1,n}$. *J. Reine Angew. Math.*, 458:19–36, 1995.
- [73] Jan Malý. Lower semicontinuity of quasiconvex integrals. *Manuscripta Math.*, 85(3-4):419–428, 1994.
- [74] Jan Malý. The area formula for $W^{1,n}$ -mappings. *Comment. Math. Univ. Carolin.*, 35(2):291–298, 1994.
- [75] Ivan Hlaváček, Michal Křížek, and Jan Malý. On Galerkin approximations of a quasilinear nonpotential elliptic problem of a nonmonotone type. *J. Math. Anal. Appl.*, 184(1):168–189, 1994.
- [76] Tero Kilpeläinen and Jan Malý. The Wiener test and potential estimates for quasilinear elliptic equations. *Acta Math.*, 172(1):137–161, 1994.

- [77] Jan Malý. Hölder type quasicontinuity. *Potential Anal.*, 2(3):249–254, 1993.
- [78] Jan Malý. Weak lower semicontinuity of polyconvex integrals. *Proc. Roy. Soc. Edinburgh Sect. A*, 123(4):681–691, 1993.
- [79] Tero Kilpeläinen and Jan Malý. Degenerate elliptic equations with measure data and nonlinear potentials. *Ann. Scuola Norm. Sup. Pisa Cl. Sci. (4)*, 19(4):591–613, 1992.
- [80] Jaroslav Lukeš and Jan Malý. Thinness, Lebesgue density and fine topologies (an interplay between real analysis and potential theory). In *Summer School in Potential Theory (Joensuu, 1990)*, volume 26 of *Joensuun Yliop. Luonnont. Julk.*, pages 35–70. Univ. Joensuu, Joensuu, 1992.
- [81] Tero Kilpeläinen and Jan Malý. Supersolutions to degenerate elliptic equation on quasi open sets. *Comm. Partial Differential Equations*, 17(3-4):371–405, 1992.
- [82] Jan Malý. L^p -approximation of Jacobians. *Comment. Math. Univ. Carolin.*, 32(4):659–666, 1991.
- [83] Jan Malý and Luděk Zajíček. Approximate differentiation: Jarník points. *Fund. Math.*, 140(1):87–97, 1991.
- [84] Jan Kratochvíl, Jan Malý, and Jiří Matoušek. On the existence of perfect codes in a random graph. In *Random graphs '87 (Poznań, 1987)*, pages 141–149. Wiley, Chichester, 1990.
- [85] Eva Kopecká and Jan Malý. Remarks on delta-convex functions. *Comment. Math. Univ. Carolin.*, 31(3):501–510, 1990.
- [86] J. Heinonen, T. Kilpeläinen, and J. Malý. Connectedness in fine topologies. *Ann. Acad. Sci. Fenn. Ser. A I Math.*, 15(1):107–123, 1990.
- [87] Tero Kilpeläinen and Jan Malý. Generalized Dirichlet problem in nonlinear potential theory. *Manuscripta Math.*, 66(1):25–44, 1989.
- [88] Oldřich John, Jan Malý, and Jana Stará. Nowhere continuous solutions to elliptic systems. *Comment. Math. Univ. Carolin.*, 30(1):33–43, 1989.
- [89] Jan Malý. Nonisolated singularities of solutions to a quasilinear elliptic system. *Comment. Math. Univ. Carolin.*, 29(3):421–426, 1988.
- [90] J. Malý, J. Stará, and O. John. A note on the regularity of autonomous quasilinear elliptic and parabolic systems. *Comm. Partial Differential Equations*, 13(7):895–903, 1988.
- [91] J. Malý, D. Preiss, and L. Zajíček. An unusual monotonicity theorem with applications. *Proc. Amer. Math. Soc.*, 102(4):925–932, 1988.
- [92] Jan Malý. Perfect level sets in many directions. *Real Anal. Exchange*, 12(1):176–179, 1986/87.

- [93] Jaroslav Lukeš, Jan Malý, and Luděk Zajíček. *Fine topology methods in real analysis and potential theory*, volume 1189 of *Lecture Notes in Mathematics*. Springer-Verlag, Berlin, 1986.
- [94] J. Stará, O. John, and J. Malý. Counterexample to the regularity of weak solution of the quasilinear parabolic system. *Comment. Math. Univ. Carolin.*, 27(1):123–136, 1986.
- [95] Jan Malý. Where the continuous functions without unilateral derivatives are typical. *Trans. Amer. Math. Soc.*, 283(1):169–175, 1984.
- [96] Jan Malý. Positive quasiminima. *Comment. Math. Univ. Carolin.*, 24(4):681–691, 1983.
- [97] Jaroslav Lukeš and Jan Malý. Fine hyperharmonicity without axiom D. *Math. Ann.*, 261(3):299–306, 1982.
- [98] Jaroslav Lukeš and Jan Malý. On the boundary behaviour of the Perron generalized solution. *Math. Ann.*, 257(3):355–366, 1981.
- [99] Jan Malý. On increment of the tangent argument along a curve. *Časopis Pěst. Mat.*, 106(2):186–196, 210, 1981. With a loose Russian summary.
- [100] Jan Malý. The Peano curve and the density topology. *Real Anal. Exchange*, 5(2):326–329, 1979/80.
- [101] Jan Malý. A note on separation of sets by approximately continuous functions. *Comment. Math. Univ. Carolin.*, 20(2):207–212, 1979.
- [102] J. Blažek, E. Borák, and J. Malý. On Köpcke and Pompeiu functions. *Časopis Pěst. Mat.*, 103(1):53–61, 97, 1978.