

Graph Covers: A journey from Topology via Computational Complexity to Generalized Snarks

Jan Kratochvíl,

Charles University, Prague, Czech Republic

joint work with

J. Bok, J. Fiala, P. Hliněný, N. Jedličková, P. Rzażewski, M. Seifrtová;
R. Nedela;

J. Fiala, S. Gardelle, A. Proskurowski




Katedra algebry 2023

Prague, October 10, 2023




Covering spaces in topology

Euclidean and projective planes – the Euclidean plane is a double cover of the projective one



Definition of graph covering (for connected simple graphs)

Definition: Mapping $f: V(G) \rightarrow V(H)$ is a *graph covering projection* if for every $u \in V(G)$, $f|N_G(u)$ is a bijection of $N_G(u)$ onto $N_H(f(u))$




A bit of the history

- ❑ Topological graph theory, construction of highly symmetric graphs (Biggs 1974, Djokovic 1974, Gardiner 1974, Gross et al. 1977)
- ❑ Local computation (Angluin STOC 1980, Litovsky et al. 1992, Courcelle et al. 1994, Chalopin et al. 2006)
- ❑ Common covers (Angluin et al. 1981, Leighton 1982)
- ❑ Finite planar covers (Negami's conjecture 1988, Hliněný 1998, Archdeacon 2002, Hliněný et al. 2004)

Outline of the talk


- ❑ Negami's conjecture
- ❑ Computational complexity
- ❑ Multigraphs with semi-edges
- ❑ Strong dichotomy conjecture
- ❑ Covers of disconnected graphs
- ❑ Generalized snarks
- ❑ Covers of directed graphs

Negami's conjecture




Negami's conjecture


Conjecture (Negami 1988): A graph has a finite planar cover if and only if it is projective planar.



$K_{3,3}$



$K_{3,3}$



A planar cover of $K_{3,3}$

Negami's conjecture

Attempts to prove via forbidden minors for projective planar graphs: Both *PlanarCoverable* and *ProjectivePlanar* are classes closed in the minor order. Moreover,

$$\textit{ProjectivePlanar} \subseteq \textit{PlanarCoverable}.$$

Need to show that no forbidden minor for the projective plane has a finite planar cover.

Discrete Mathematics › Graph Theory › Simple Graphs › Projective Planar Graphs ›

Discrete Mathematics › Graph Theory › Forbidden Minors ›


Discrete Mathematics › Graph Theory › Forbidden Topological Minors ›

More...


Projective Planar Graph

Download
Wolfram Notebook


A graph with [projective plane crossing number](#) equal to 0 may be said to be projective planar. Examples of projective planar graphs with [graph crossing number](#) ≥ 2 include the [complete graph](#) K_6 and [Petersen graph](#) P .



$K_{3,3} + K_{3,3}$



$K_5 + K_{3,3}$




$K_5 + K_5$



$K_{3,3} \cdot K_{3,3}$



$K_5 \cdot K_{3,3}$




D_4



D_9




D_{12}



D_{17}



E_6



$K_5 \cdot K_5$



B_3



C_2



C_7



D_1



E_{11}



E_{19}




E_{20}



E_{27}



F_4




D_4




D_9



D_{12}



D_{17}



E_6



F_6




G_1



$K_{3,5}$



$K_{4,5} - 4K_2$



$K_{4,4} - e$



$K_7 - C_4$



D_3



E_5



F_1



$K_{1,2,2,2}$



B_7



C_3



C_4



D_2




E_2


Negami's conjecture

Thm (Negami, Fellows, Archdeacon 1990): Conjecture is true for graphs not containing $K_{4,4}^-$ and $K_{1,2,2,2}$ as minors.

The terrible two



$K_{4,4}^{--}$



$K_{1,2,2,2}$

Negami's conjecture

Thm (Negami, Fellows, Archdeacon 1990): Conjecture is true for graphs not containing $K_{4,4}^-$ and $K_{1,2,2,2}$ as minors.

P. Hliněný (1998): $K_{4,4}^-$ does not have a finite planar cover.

P. Hliněný, R. Thomas (2002): Only finite number of counterexamples exist (if any).

Computational complexity of graph covers





H -COVER

Input: A graph G

Question: Does G cover H ?


Computational complexity of graph covers

- ❑ Thm (Bodlaender 1989): H -COVER is NP-complete if H is also part of the input.
- ❑ Abello, Fellows, Stilwell 1991: Initiated the study of computational complexity of the H -COVER problem for fixed H .
- ❑ Thm (Kratochvíl, Proskurowski, Telle 1994): H -COVER is polynomial time solvable for every simple graph with at most 2 vertices per equivalence class in its degree partition.
- ❑ Thm (Fiala, Kratochvíl, Proskurowski, Telle 1998): H -COVER is NP-complete for every simple regular graph of valency at least 3.
- ❑ Fiala, Kratochvíl 2008: Relation to CSP
- ❑ Bílka, Jirásek, Klavík, Tancer, Volec 2011: NP-hardness of covering small graphs by planar inputs.






A few facts on graph covers

- ❑ Every covering projection to a connected graph is equitable
- ❑ A (rooted) tree is covered only by an isomorphic tree
- ❑ A path is covered only by a path of the same length




Reduction to colored graphs



Kratochvil, Proskurowski, Telle 1997: Apply the same reductions to G and H . Every covering projection must respect the colors. To fully understand the complexity of H -COVER for all simple graphs, it is necessary and suffices to understand its complexity for colored mixed multigraphs of minimum degree ≥ 3 .


General graphs

(with multiple edges, loops and semi-edges allowed)



General graphs

(with multiple edges, loops and semi-edges allowed)



Why semi-edges?


- Appear naturally as quotients of automorphism groups
- Recently became standard in topological graph theory and mathematical physics
- Are reasonable in the local computation model
- Capture interesting and standard graph theoretical invariants

Covers of general graphs

(with multiple edges, loops and semi-edges)

Definition: A pair of mappings $f = (f_V, f_E): G \rightarrow H$ is a graph covering projection if


- $f_V: V(G) \rightarrow V(H)$ is a homomorphism,
- $f_E: E(G) \rightarrow E(H)$ is compatible with f_V , and it is a bijection of {edges incident with u } onto {edges incident with $f_V(u)$ } for every $u \in V(G)$



Complexity of covering multigraphs

- ❑ Kratochvíl, Proskurowski, Telle 1997: Complete characterization of the computational complexity of H -COVER for colored mixed 2-vertex multigraphs (without semi-edges) H .
- ❑ Kratochvíl, Telle, Tesař 2016: Complete characterization of the computational complexity of H -COVER for 3-vertex multigraphs H (monochromatic, undirected, without semi-edges).
- ❑ Bok, Fiala, Hliněný, Jedličková, Kratochvíl MFCS 2021: First results on the computational complexity of H -COVER for (multi)graphs with **semi-edges**. Full classification for 1-vertex and 2-vertex graphs H .
- ❑ Bok, Fiala, Jedličková, Kratochvíl, Rzazewski IWOCA 2022: If H is a k -regular (multi)graph, $k \geq 3$, with at least one semi-simple vertex, then List- H -COVER is NP-complete for simple input graphs.


Some examples



A graph covers  iff it is cubic and 3-edge-colorable.

NP-complete


Some examples



A graph covers  iff it is cubic and has a perfect matching.

Poly time

Some examples



A graph covers  iff it is 4-regular (Petersen/Konig-Hall thm).

Poly time

Strong Dichotomy Conjecture

2021 Bok et al: For every fixed graph H , the H -COVER problem is either polynomial time solvable for arbitrary input graphs (loops, multiple edges, semi-edges allowed), or NP-complete for simple input graphs.

Covers of disconnected graphs



Complexity of Graph Covering Problems


Jan Kratochvíl¹, Andrzej Proskurowski² and Jan Arne Telle²

¹ Charles University, Prague, Czech Republic


² University of Oregon, Eugene, Oregon

Abstract. Given a fixed graph H , the H -cover problem asks whether an input graph G allows a degree preserving mapping $f : V(G) \rightarrow V(H)$ such that for every $v \in V(G)$, $f(N_G(v)) = N_H(f(v))$. In this paper, we design efficient algorithms for certain graph covering problems according to two basic techniques. The first one is a reduction to the 2-SAT problem. The second technique exploits necessary and sufficient conditions for the existence of regular factors in graphs. For other infinite classes of graph covering problems we derive \mathcal{NP} -completeness results by reductions from graph coloring problems. We illustrate this methodology by classifying all graph covering problems defined by simple graphs with at most 6 vertices.






Locally bijective homomorphism




Covers of disconnected graphs

Locally bijective homomorphism




Surjective cover



Covers of disconnected graphs

Equitable cover



Computational complexity of covering disconnected graphs

Thm (Bok, Fiala, Jedlickova, Kratochvil, Seifertova FCT2021):

For a disconnected graph H ,

- both the H -SURJECTIVE-COVER and H -EQUITABLE-COVER problems are polynomially solvable if the H_i -COVER problem is polynomially solvable for every connected component H_i of H , and
- both the H -SURJECTIVE-COVER and H -EQUITABLE-COVER problems are NP-complete for simple input graphs if the H_i -COVER problem is NP-complete for simple input graphs for some connected component H_i of H .

Computational complexity of covering disconnected graphs

Proof of “the H-SURJECTIVE-COVER problem is NP-complete for simple input graphs if the H_i -COVER problem is NP-complete for simple input graphs for some connected component H_i of H .”


Computational complexity of covering disconnected graphs

Proof of “the H-SURJECTIVE-COVER problem is NP-complete for simple input graphs if the H_i -COVER problem is NP-complete for simple input graphs for some connected component H_i of H .”


Let $H=H_1+H_2+\dots+H_k$. Suppose that H_1 -COVER is NP-complete for simple input graphs, and let G_1 be a simple graph whose covering of H_1 is to be tested. For each $j=2,3,\dots,k$, fix a simple graph G_j such that G_j covers H_j , and moreover G_j does not cover H_1 , unless H_j is such that every simple graph that covers H_j also covers H_1 .

Then $G=G_1+G_2+\dots+G_k$ surjectively covers H if and only if G_1 covers H_1 .


Computational complexity of covering disconnected graphs




Computational complexity of covering disconnected graphs




Computational complexity of covering disconnected graphs




Computational complexity of covering disconnected graphs



Computational complexity of covering disconnected graphs




Computational complexity of covering disconnected graphs



> relation on connected graphs

Definition: Given connected graphs A and B , we say that $A > B$ if for every simple graph G , it is true that G covers B whenever G covers A .



> relation on connected graphs

Definition: Given connected graphs A and B , we say that $A > B$ if for every simple graph G , it is true that G covers B whenever G covers A .

Example 1: If $A \rightarrow B$, then $A > B$.

> relation on connected graphs

Definition: Given connected graphs A and B , we say that $A > B$ if for every simple graph G , it is true that G covers B whenever G covers A .

Example 1: If $A \rightarrow B$, then $A > B$.



Example 2:  $\bullet \begin{array}{l} \diagup \\ \diagdown \end{array} > \bullet \begin{array}{c} \curvearrowright \end{array}$

> relation on connected graphs


Definition: Given connected graphs A and B , we say that $A > B$ if for every simple graph G , it is true that G covers B whenever G covers A .

Example 1: If $A \rightarrow B$, then $A > B$.

Example 2: 

Example 3:  and 

Hunting for Snarks



> relation on connected graphs

Question: If $\neg(A > B)$, then there is a witness G (a simple graph) such that G covers A but G does not cover B . How big would such a witness be? Can such a witness be constructed easily?

We know that $\neg (\text{loop} > \text{fork})$. 2-connected witnesses are **snarks**.

> relation on connected graphs

Open problem: Describe all pairs of connected graphs A and B such that $A > B$ and A does not cover B .

Conjecture (Bok et al. 2022): If A has no semi-edges, then $A > B$ if and only if A covers B .

> relation on connected graphs

Open problem: Describe all pairs of connected graphs A and B such that $A > B$ and A does not cover B .

Conjecture (Bok et al. 2022): If A has no semi-edges, then $A > B$ if and only if A covers B .


JK, Nedela (EUROCOMB 2023): True for $B = \bullet \begin{array}{l} \diagup \\ \diagdown \end{array}$ and $B = \bullet \begin{array}{c} \curvearrowright \end{array}$ with arbitrary A .

> relation on connected graphs

Thm 1 (JK,RN): For any graph A , $A > \text{star}$ iff $A \rightarrow \text{star}$.

Thm 2 (JK,RN): For any graph A , $A > \text{loop}$ iff A *semi-covers* loop .

Definition: Preimages of edges in a semi-covering



Sketch of proof of Thm 1

Thm 1 (JK,RN): For any graph A , $A > \bullet$ iff $A \rightarrow \bullet$.

Proof: " \Leftarrow " is obvious.



" \Rightarrow " We prove " $A \not> \bullet \Rightarrow \exists \text{ simple } H \rightarrow A \text{ s.t. } H \not> \bullet$."

$$A \not\rightarrow \bullet \Rightarrow \exists \text{ simple } H \rightarrow A \text{ s.t. } H \not\rightarrow \bullet$$

Case 1: A has no semi-edges

Case 1.1: If A has a bridge, then A has a simple cover which has a bridge.

$$A \not\rightarrow \bullet \begin{array}{l} \nearrow \\ \searrow \end{array} \Rightarrow \exists \text{ simple } H \rightarrow A \text{ s.t. } H \not\rightarrow \bullet \begin{array}{l} \nearrow \\ \searrow \end{array}$$



$$A \not\rightarrow \bullet \Rightarrow \exists \text{ simple } H \rightarrow A \text{ s.t. } H \not\rightarrow \bullet$$

Case 1: A has no semi-edges

Case 1.1: If A has a bridge, then A has a simple cover which has a bridge.

Case 1.2: If A has a loop, then A has a bridge.

$$A \not\rightarrow \bullet \begin{array}{l} \nearrow \\ \nearrow \\ \searrow \end{array} \Rightarrow \exists \text{ simple } H \rightarrow A \text{ s.t. } H \not\rightarrow \bullet \begin{array}{l} \nearrow \\ \nearrow \\ \searrow \end{array}$$

Case 1: A has no semi-edges

Case 1.1: If A has a bridge, then A has a simple cover which has a bridge.

Case 1.2: If A has a loop, then A has a bridge.

Case 1.3: If A has no loops, show that A has a simple cover H with $\chi'(H) > 3$ by induction on the number of double edges of A.

$$A \not\rightarrow \bullet \begin{array}{l} \nearrow \\ \nearrow \\ \searrow \end{array} \Rightarrow \exists \text{ simple } H \rightarrow A \text{ s.t. } H \not\rightarrow \bullet \begin{array}{l} \nearrow \\ \nearrow \\ \searrow \end{array}$$

Case 1: A has no semi-edges


Case 1.1: If A has a bridge, then A has a simple cover which has a bridge.

Case 1.2: If A has a loop, then A has a bridge.


Case 1.3: If A has no loops, show that A has a simple cover H with $\chi'(H) > 3$ by induction on the number of double edges of A.

Case 2: A has semi-edges

Consider A° , show $\chi'(A^\circ) = \chi'(A) > 3$, and by Case 1, A° (and hence also A) has a simple cover H with $\chi'(H) > 3$, the witness.



A



A°

Covering directed graphs

Thm (JK, Proskurowski, Telle + Fiala 1997): If H is simple undirected k -regular graph, $k > 2$, then H -COVER is NP-complete.

Thm (Bok, Fiala, Hlineny, Jedlickova, JK 2021): If H is semi-simple undirected k -regular graph, $k > 2$, then H -COVER is NP-complete.

Conjecture: If H is simple connected directed k -in- k -out-regular graph with $k > 2$, then H -COVER is NP-complete.

Covering directed graphs

Observation: If H is connected undirected 2-regular graph, then H -COVER is polynomial time solvable.

Question: What about connected directed 2-in-2-out-regular graphs?

Covering directed graphs


Observation: If H is connected undirected 2-regular graph, then H -COVER is polynomial time solvable.

Question: What about connected directed 2-in-2-out-regular graphs?

Answer: A complete jungle.


Covering directed 2-in-2-out regular graphs

2-vertex graphs



Covering directed 2-in-2-out regular graphs

2-vertex graphs




Polynomial time



Covering directed 2-in-2-out regular graphs

2-vertex graphs




Polynomial time




Polynomial time
via 2-SAT

Covering directed 2-in-2-out regular graphs

3-vertex graphs




Polynomial
time




Covering directed 2-in-2-out regular graphs


3-vertex graphs




Polynomial
time




NP-c



NP-c




NP-c



NP-c


Covering directed 2-in-2-out regular graphs

4-vertex graphs




Covering directed 2-in-2-out regular graphs

4-vertex graphs




Covering directed 2-in-2-out regular graphs

4-vertex graphs



Polynomial time





$$u(2)+v(2)=0$$

$$u(1)+v(1)=1$$

$$x : (x(1), x(2)) \in \text{GF}(2)^2$$

Covering directed 2-in-2-out regular graphs

4-vertex graphs



$x : (x(1), x(2)) \in \text{GF}(2)^2$

$$u(2) + v(2) = 0$$

$$u(1) + v(1) = 1$$

$$x(1) + x(2) + u(2) = 0$$

$$y(2) + z(2) = 1$$

$$y(1) + z(1) = 1$$

$$y(1) + y(2) + x(2) = 0$$

Thank you